

Room Name	Mortuary - Waiting		Room Number MOR-W
Revision	5		
Issue Date	18.01.2021		
BRIEFING			
Briefed Area	9.00 m ²		
Hours of Operation	up to 24 Hours		
Occupancy	4-5 visitors; 1 staff		
Acoustics	Sound attenuation level high, Acoustic privacy is essential		
Remarks			
Description / Special Requirements	The Mortuary - Waiting provides an area for relatives and others to await the viewing of a body and to have private discussions with social workers. The area should be comfortable and non-clinical in appearance with furnishings and artwork that are culturally appropriate. Natural light is desirable. The Mortuary - Waiting will be located adjacent to the Mortuary - Viewing Room. A body may be viewed through the window from within the Mortuary - Waiting, with access provided between the two rooms to view a body directly.		
SERVICES			
General Requirements	BODY PROTECTED	<input type="checkbox"/>	CARDIAC PROTECTED <input type="checkbox"/>
Air	AIRCONDITIONING	<input checked="" type="checkbox"/>	AIRCONDITIONING: hepa filtered <input type="checkbox"/>
	AIRCONDITIONING: positive pressure	<input type="checkbox"/>	AIRCONDITIONING: negative pressure <input type="checkbox"/>
	EXHAUST: room exhaust	<input type="checkbox"/>	VENTILATION <input type="checkbox"/>
Lighting	LIGHTING: colour corrected	<input type="checkbox"/>	LIGHTING: dimmable <input type="checkbox"/>
	LIGHTING: downlights	<input type="checkbox"/>	LIGHTING: downlights, dimmable <input type="checkbox"/>
	LIGHTING: fluorescent/LED, downlights	<input type="checkbox"/>	LIGHTING: fluorescent/LED, flush with ceiling, tamper proof <input type="checkbox"/>
	LIGHTING: fluorescent/LED, general	<input checked="" type="checkbox"/>	LIGHTING: indirect <input type="checkbox"/>
Nurse Call	NURSE CALL SYSTEM	<input type="checkbox"/>	

Room Fabrics

AusHFG code	Description	Comment
CLFS-006	CEILING: plasterboard, flush set, suspended, paint, washable	
CLCN-008	CORNICE: square set flush between wall and ceiling, paint	
DWGL-005	DOOR: 910mm c/o, single leaf, observation panel, solid core/glass, paint	lockable
DWSC-003	DOOR: 910mm c/o, single leaf, solid core, paint	lockable
DWPR-003	DOOR PROTECTION: kickplate, to 300 AFFL, vinyl, prefinished	
DWPR-010	DOOR PROTECTION: to door frame, PVC, prefinished	optional
FLCP-006	FLOOR FINISH: carpet, carpet tiles, 90/10 wool/nylon	
DWOB-005	OBSERVATION: internal window, alum/glass, powdercoat	
FLSK-009	SKIRTING: vinyl, feather edged, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FQGE-002	ARTWORK	3	1	
FQCW-016	BIN: waste, general, 20L	3	1	
FQBS-032	CHAIR: waiting	3	3	

Room Name | Mortuary - Waiting

Room Number MOR-W

AusHFG code	Description	Group	Qty	Comment
FIDI-001	DISPENSER: alcohol based hand rub	2	1	
FQBS-043	LOUNGE: 2 seat, 1600 wide	3	1	
FQTA-034	TABLE: rectangular, 900L x 600W, low height	3	1	

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ITSE-006	BUTTON: duress, fixed	1	1	
ELGP-109	GPO: single, wall mounted	1	2	
ELBO-015	SWITCH: light, single	1	1	