

Room Name | Office - Write-up, 5m2

Room Number: OFF-WI-5

Last modified	01/03/2016
Briefed Area	5.00
Remarks	
Occupancy	2 staff members
Hours of Operation	<input checked="" type="checkbox"/> 24 Hours
Acoustics	
Description or Special Requirements	<i>The Write-up Bay provides a write-up bench for use by members of the patient care team. In this space the User may review and write-up patient records, enter patient data on computer and make telephone calls. If located within the Operating Unit it may also include an optional area for porters to wait until paged or called by staff. The Write-up space must not impede the corridor.</i>

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved	
3000	Wall finish	Paint	Acrylic, washable		
2535	Wall protection			Corner guards to 900 AFFL	Align heights of corner guards with other corridor elements
5007	Ceiling - Plasterboard	Plasterboard	Paint	Bulkhead	Between above bench joinery and ceiling
5060	Ceiling - Acoustic	Acoustic	Prefinished	Drop-in tiles, 600x1200	
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-1050	Bench - laminate	1	1	Standing or seating height, refer RLS or project specific requirements
FF-20000	Shelving unit - adjustable	1	4	Above bench, number to suit layout. Refer to RLS or project specific requirements
FF-2100	Chair - ergonomic, office	3	2	For standing height bench, use ergonomic high chair for standing height
FF-5824	Waste bin - general	3	1	
FF-24405	Whiteboard - magnetic	2	1	Between bench and overbench joinery

Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-11400	Computer - PC & monitor	3	2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Consider location of harddrive, if below bench add bracket
FE-54510	Telephone - handset, standard	3	2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Room Name | Office - Write-up, 5m2

Room Number: OFF-WI-5

Service Requirements**Services**

AusHFG code	Description	Group	Qty	Comments
S-9001	GPO: Double	1	4	
S-1006	Voice / Data outlet: double	1	2	1 outlet for telephone
S-5000	Airconditioning	1	1	
S-6000	General fluorescent	1	1	
S-6200	Light switches	1	2	
S-6055	Special: task light, built in	1	2	under O/H cupboards
S-8040	Annunciator	1	1	