



Room Name	Overnight Stay - Bedroom	Room Number OVBR			
Revision	5				
Issue Date	20.03.17				
BRIEFING					
Briefed Area	10.00 m <sup>2</sup>				
Hours of Operation	Available 24 Hours				
Occupancy	1				
Acoustics	Acoustic privacy is required				
Remarks					
Description / Special Requirements	A single Bedroom with an adjoining Ensuite for clinical staff, carer or parents needing to remain on close call overnight. The room shall be lockable. An external outlook is required.				
SERVICES					
General Requirements	BODY PROTECTED = No	CARDIAC PROTECTED = No			
Air	AIRCONDITIONING = Yes	AIRCONDITIONING: hepa filtered = No			
	AIRCONDITIONING: positive pressure = No	AIRCONDITIONING: negative pressure = No			
	EXHAUST: room exhaust = No	VENTILATION = No			
Lighting	LIGHTING: colour corrected = No	LIGHTING: dimmable = No			
59	LIGHTING: downlights = No	LIGHTING: downlights, dimmable = No			
	LIGHTING: fluorescent, downlights = No	LIGHTING: fluorescent, flush with ceiling, tamper proof = No			
	LIGHTING: fluorescent, general = Yes	LIGHTING: indirect = No			

## **Room Fabrics**

AusHFG code	Description	Comment
CLTI-002	CEILING: acoustic, drop-in tiles, 600 x 1200	
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	
DWSC-003	DOOR: 910mm c/o, single leaf, solid core, paint	lockable
DWPR-001	DOOR PROTECTION: kickplate, to 300 AFFL	
FLCP-006	FLOOR FINISH: carpet, carpet tiles, 90/10 wool/nylon	
FLSK-009	SKIRTING: vinyl, feather edged, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLPR-001	WALL PROTECTION: bed protection wall panel	
DWWH-005	WINDOW	essential

## Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FQBS-004	BED: domestic, single with mattress	3	1	
FQCW-016	BIN: waste, general, 20L	3	1	
FQBS-018	CHAIR: office, ergonomic	3	1	to desk
FIJO-130	CUPBOARD: tall, single door, adj shelves and clothes rail	1	1	wardrobe
FQDW-001	DESK: adj height, 1100W x 600D x 750H nom.	3	1	

AHHA
astratistica heath infrastructure elikence.

Page: 1 Print Date: 20/03/2017



**Room Data Sheet** 



**Room Name** 

Overnight Stay - Bedroom

## **Room Number OVBR**

AusHFG code	Description	Group	Qty	Comment
FQCA-030	FRIDGE: domestic, 120L	3	1	optional
FQTA-001	TABLE: bedside	3	1	
ITNE-049	TELEPHONE: handset, desktop	3	1	
DWWD-013	WINDOW DRESSING: external window	3	1	

## **Engineering Services**

AusHFG code	Description	Group	Qty	Comment
ELGP-208	GPO: double, wall mounted	1	3	
LIFX-011	LIGHT: reading light	1	1	
ITIN-026	OUTLET: data, double RJ45, wall mounted	1	1	
ELBO-015	SWITCH: light, single	1	2	



Page: 2 Print Date: 20/03/2017