

Room Name	Parenting Room	Room Number PAR
Revision	5	
Issue Date	24.06.2022	
BRIEFING		
Briefed Area	9.00 m ²	
Hours of Operation	Available 24 Hours	
Occupancy	Up to 2	
Acoustics	Sound attenuation level high, Acoustic privacy is required.	
Remarks		
Description / Special Requirements	<p>The Parenting Room is provided as a private space for parents to feed and change babies and will provide access for prams. The Parenting Room will be located to have ready access to a public amenities and waiting areas.</p> <p>Additional Design Considerations:</p> <ul style="list-style-type: none"> Provision of a fridge may be considered if servicing a staff area; this will be dependent on operational policies. Custom joinery for baby changing facilities may be considered, dependent on operational policies and project requirements. 	
SERVICES		
Electrical	BODY PROTECTED <input type="checkbox"/>	CARDIAC PROTECTED <input type="checkbox"/>
HVAC	AIRCONDITIONING <input checked="" type="checkbox"/>	AIRCONDITIONING: hepa filtered <input type="checkbox"/>
	AIRCONDITIONING: positive pressure <input type="checkbox"/>	AIRCONDITIONING: negative pressure <input type="checkbox"/>
	EXHAUST: room exhaust <input checked="" type="checkbox"/>	VENTILATION <input type="checkbox"/>
Lighting	LIGHTING: colour corrected <input type="checkbox"/>	LIGHTING: dimmable <input checked="" type="checkbox"/>
	LIGHTING: downlights <input type="checkbox"/>	LIGHTING: downlights, dimmable <input type="checkbox"/>
	LIGHTING: fluorescent/LED, downlights <input type="checkbox"/>	LIGHTING: fluorescent/LED, flush with ceiling, tamper proof <input type="checkbox"/>
	LIGHTING: fluorescent/LED, general <input checked="" type="checkbox"/>	LIGHTING: indirect <input type="checkbox"/>
Security / Nurse Call	NURSE CALL SYSTEM <input checked="" type="checkbox"/>	

Room Fabrics

AusHFG code	Description	Comment
CLTI-002	CEILING: acoustic, drop-in tiles, 600 x 1200	
CLCN-009	CORNICE: wall trim fixing	
DWSC-003	DOOR: 910mm c/o, single leaf, solid core, paint	with privacy latch, emergency release to be provided on inward opening door
DWPR-005	DOOR PROTECTION: protection plate to 900 AFFL	
FLVY-003	FLOOR FINISH: vinyl, seamless, coved, non slip	tiles are also acceptable
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	to be tiles if tiled floor
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLWA-007	WALL FINISH: splashback	
WLWA-020	WALL FINISH: vinyl, to 1500 AFFL	

Fittings, Furniture and Equipment (FF&E) Items

Room Name | **Parenting Room**
Room Number PAR

AusHFG code	Description	Group	Qty	Comment
FIJO-232	BENCH TOP: 650D, joinery under, laminate finish	1	1	solid surface is also acceptable, dependent on requirements
FQCW-016	BIN: waste, general, 20L	3	1	
FQCW-019	BIN: waste, general, 50L	3	1	for nappies, sanitary waste stream may be required dependent on operational policies
FQBS-010	CHAIR: armchair	3	1	to be suitable for breastfeeding
FQBS-035	CHANGE TABLE: baby	1	1	
FIDI-025	DISPENSER: paper/hand towel	2	1	to sink
FIDI-030	DISPENSER: soap	2	1	to sink
FIHR-026	HOOK: coat	1	2	
FIJO-228	JOINERY UNIT: sink shroud, accessible	1	1	to sink
FIJO-213	PANEL: joinery carcass end	1	1	
HYBA-051	SINK: single	1	1	depth to meet accessible requirements; integrated solid surface sink into solid surface bench is also acceptable
FQTA-049	TABLE: round, 500 diam, low height	3	1	
HYTP-040	TAPWARE: mixer, sink, accessible	1	1	

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ITSE-006	BUTTON: duress, fixed	1	1	
ELGP-208	GPO: double, wall mounted	1	1	
ELBO-015	SWITCH: light, single	1	1	