

| Room Name                                 | Pharmacy - Returns Workstation  |                                     | Room Number PHA-RE   |
|---|---|-------------------------------------|--|
| <b>Revision</b>                           | 1   |                                     |  |
| <b>Issue Date</b>                         | 26.04.2021  |                                     |  |
| <b>BRIEFING</b>                           |   |                                     |  |
| <b>Briefed Area</b>                       | 6.00 m <sup>2</sup>   |                                     |  |
| <b>Hours of Operation</b>                 | 8am to 8pm, daily   |                                     |  |
| <b>Occupancy</b>                          | 1 staff   |                                     |  |
| <b>Acoustics</b>                          |   |                                     |  |
| <b>Remarks</b>                            |   |                                     |  |
| <b>Description / Special Requirements</b> | <p>The Returns Workstation provides workspace to sort and process medication returns from within the hospital that are to be returned to stock or sent for disposal. Storage is required to accommodate the returns before they are processed.</p> <p>Additional Considerations:</p> <ul style="list-style-type: none"> <li>• Ready access to refrigerated storage and disposal room is required from this area.</li> <li>• Printer and telephone facilities to be shared between multiple workstations. A Multifunction device is to be in close proximity to the returns area.</li> <li>• Ensure adequate lighting over workspace.</li> </ul> |                                     |  |
| <b>SERVICES</b>                           |   |                                     |  |
| <b>Electrical</b>                         | BODY PROTECTED  | <input type="checkbox"/>            | CARDIAC PROTECTED <input type="checkbox"/>   |
| <b>HVAC</b>                               | AIRCONDITIONING   | <input checked="" type="checkbox"/> | AIRCONDITIONING: hepa filtered <input type="checkbox"/>                              |
|   | AIRCONDITIONING: positive pressure  | <input type="checkbox"/>            | AIRCONDITIONING: negative pressure <input type="checkbox"/>                          |
|   | EXHAUST: room exhaust   | <input type="checkbox"/>            | VENTILATION <input type="checkbox"/>   |
| <b>Lighting</b>                           | LIGHTING: colour corrected  | <input type="checkbox"/>            | LIGHTING: dimmable <input type="checkbox"/>  |
|   | LIGHTING: downlights  | <input type="checkbox"/>            | LIGHTING: downlights, dimmable <input type="checkbox"/>                              |
|   | LIGHTING: fluorescent/LED, downlights   | <input type="checkbox"/>            | LIGHTING: fluorescent/LED, flush with ceiling, tamper proof <input type="checkbox"/> |
|   | LIGHTING: fluorescent/LED, general  | <input checked="" type="checkbox"/> | LIGHTING: indirect <input type="checkbox"/>  |
| <b>Security / Nurse Call</b>              | NURSE CALL SYSTEM   | <input type="checkbox"/>            |  |

**Room Fabrics**

| AusHFG code | Description   | Comment |
|-------------|---|---------|
| CLTI-002    | CEILING: acoustic, drop-in tiles, 600 x 1200                  |         |
| CLCN-009    | CORNICE: wall trim fixing                                     |         |
| FLVY-007    | FLOOR FINISH: vinyl, seamless, coved, standard slip resistant |         |
| FLSK-010    | SKIRTING: vinyl, floor vinyl coved, 150H, prefinished         |         |
| WLWA-004    | WALL FINISH: paint, acrylic, washable                         |         |

**Fittings, Furniture and Equipment (FF&E) Items**

| AusHFG code | Description                            | Group | Qty | Comment  |
|-------------|--|-------|-----|--|
| ITNE-003    | BAR CODING: reader                     | 3     | 1   |  |
| FQBS-018    | CHAIR: office, ergonomic               | 3     | 1   |  |
| ITNE-007    | COMPUTER: desktop, with display screen | 3     | 1   | may be on wall or desk mounted bracket, an additional screen may be provided |

**Room Name | Pharmacy - Returns Workstation**
**Room Number PHA-RE**

| AusHFG code | Description  | Group | Qty | Comment                               |
|-------------|--|-------|-----|---------------------------------------|
|             |  |       |     | depending on project ICT requirements |
| FQDW-002    | DESK: adj height, 1800W x 750D x 750H nom.                         | 3     | 1   |                                       |
| FQSM-045    | SHELVING: storage solution, 400W x 600D x 2100H nom., wire, mobile | 3     | 2   |                                       |
| FIBM-019    | WHITEBOARD: fixed, magnetic  | 2     | 1   | optional                              |

**Engineering Services**

| AusHFG code | Description                                | Group | Qty | Comment  |
|-------------|--|-------|-----|--|
| ELGP-223    | GPO: emergency power, double, wall mounted | 1     | 2   | extent of emergency power to be determined based on service requirements |
| ITIN-026    | OUTLET: data, double RJ45, wall mounted    | 1     | 1   |  |