

Room Name	Play Area - Paediatric	Room Number PLAY
Revision	6	
Issue Date	24.06.2022	
BRIEFING		
Briefed Area	10.00 m ²	
Hours of Operation	Available 24 Hours	
Occupancy	Up to 4	
Acoustics	Acoustics: sound attenuation level - high.	
Remarks		
Description / Special Requirements	<p>An area, typically associated with a waiting area, where children may play while waiting with parents. The Play Area should allow access for prams and be located in close proximity to public amenities, including baby change facilities. The Play Area should be designed to minimise noise transfer to other areas.</p> <p>Additional Considerations:</p> <ul style="list-style-type: none"> Provision of age appropriate furnishing, artwork and play equipment (if provided) to be based on service and population. Furniture that is easily wiped clean is recommended. Furniture suitable for adults is typically provided within the space to support supervision of children but may be provided in the adjacent waiting area if layout allows for adequate visibility. Provision of interactive board/projector technologies and associated services may be considered depending on operational policies and ICT support. 	
SERVICES		
Electrical	BODY PROTECTED <input type="checkbox"/>	CARDIAC PROTECTED <input type="checkbox"/>
HVAC	AIRCONDITIONING <input checked="" type="checkbox"/>	AIRCONDITIONING: hepa filtered <input type="checkbox"/>
	AIRCONDITIONING: positive pressure <input type="checkbox"/>	AIRCONDITIONING: negative pressure <input type="checkbox"/>
	EXHAUST: room exhaust <input type="checkbox"/>	VENTILATION <input type="checkbox"/>
Lighting	LIGHTING: colour corrected <input type="checkbox"/>	LIGHTING: dimmable <input type="checkbox"/>
	LIGHTING: downlights <input type="checkbox"/>	LIGHTING: downlights, dimmable <input type="checkbox"/>
	LIGHTING: fluorescent/LED, downlights <input type="checkbox"/>	LIGHTING: fluorescent/LED, flush with ceiling, tamper proof <input type="checkbox"/>
	LIGHTING: fluorescent/LED, general <input checked="" type="checkbox"/>	LIGHTING: indirect <input type="checkbox"/>
Security / Nurse Call	NURSE CALL SYSTEM <input type="checkbox"/>	

Room Fabrics

AusHFG code	Description	Comment
CLTI-002	CEILING: acoustic, drop-in tiles, 600 x 1200	
CLCN-009	CORNICE: wall trim fixing	
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	
DWWH-005	WINDOW	desirable

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FQGE-002	ARTWORK	3	1	
DWWD-004	BLIND: roller	3	1	

Room Name | **Play Area - Paediatric**
Room Number PLAY

AusHFG code	Description	Group	Qty	Comment
FQBS-012	CHAIR: child	3	2	
FQBS-032	CHAIR: waiting	3	2	
FIDI-001	DISPENSER: alcohol based hand rub	2	1	
FQTA-003	TABLE: children's play	3	1	
FQTA-075	TABLE: square, 600W, low height	3	1	

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ELGP-208	GPO: double, wall mounted	1	1	