

**Room Name** Reception (Emergency), 20m2

**Room Number** REC-E

**Revision**

5

**Issue Date**

20.03.17

**BRIEFING**
**Briefed Area**

 20.00 m<sup>2</sup>
**Hours of Operation**

24 Hours

**Occupancy**

Up to 3 staff members

**Acoustics**
**Remarks**
**Description /  
Special Requirements**

A Reception area for the Emergency Unit where patients/ visitors can be received, located in close proximity to Triage and waiting areas. Additional Design Requirements: security glazing required.

**SERVICES**
**General Requirements**

BODY PROTECTED = No

CARDIAC PROTECTED = No

**Air**

AIRCONDITIONING = Yes

AIRCONDITIONING: hepa filtered = No

AIRCONDITIONING: positive pressure = No

AIRCONDITIONING: negative pressure = No

EXHAUST: room exhaust = No

VENTILATION = No

**Lighting**

LIGHTING: colour corrected = No

LIGHTING: dimmable = No

LIGHTING: downlights = Yes

LIGHTING: downlights, dimmable = No

LIGHTING: fluorescent, downlights = No

LIGHTING: fluorescent, flush with ceiling, tamper proof = No

LIGHTING: fluorescent, general = Yes

LIGHTING: indirect = No

**Nurse Call**

NURSE CALL SYSTEM = No

**Room Fabrics**

AusHFG code	Description	Comment
CLTI-002	CEILING: acoustic, drop-in tiles, 600 x 1200	
CLGE-001	CEILING: plasterboard, bulkhead, paint	optional
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	
DWGL-003	DOOR: 910mm c/o, single leaf, half glazed, solid core/safety glass, paint	to triage/staff amenities and offices
DWGL-007	DOOR: 910mm c/o, single leaf, observation panel, solid core/safety glass, paint	to waiting area
DWPR-003	DOOR PROTECTION: kickplate, to 300 AFFL, vinyl, prefinished	
FLCP-003	FLOOR FINISH: carpet, broadloom, 48 oz., 90/10 wool/nylon	
FLSK-009	SKIRTING: vinyl, feather edged, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	

**Fittings, Furniture and Equipment (FF&E) Items**

AusHFG code	Description	Group	Qty	Comment
FIJO-020	BENCH: 600D, open under, laminate finish	1	1	reception desk
FIJO-059	BENCH TOP: 600D, joinery under, laminate finish	1	2	behind reception desk, 900mmH, open under part
FQCW-016	BIN: waste, general, 20L	3	1	
FQBS-018	CHAIR: office, ergonomic	3	3	

**Room Name | Reception (Emergency), 20m2**
**Room Number REC-E**

AusHFG code	Description	Group	Qty	Comment
FQGE-005	CLOCK: analogue, battery operated	3	1	
ITNE-007	COMPUTER: desktop, with display screen	3	3	flat screen
FIJO-205	CUPBOARD: drawer unit, single drawer, lockable	1	1	cash drawer under bench, optional
FIJO-117	CUPBOARD: tall, double door, adj shelves, lockable	1	1	
FIJO-135	CUPBOARD: underbench, double door, adj shelves	1	3	under part of high bench
FIJO-143	CUPBOARD: wall mount, double door, adj shelves	1	1	over high bench
FIJO-145	CUPBOARD: wall mount, double door, adj shelves, lockable	1	4	
FIJO-177	JOINERY UNIT: reception desk, high performance surfaces	1	1	with laminate/resinate counter top, includes work surface
FQDW-004	KEYBOARD SHELF: drop down, for workstation	1	3	optional
FIBM-013	NOTICEBOARD: fixed, fabric covered	1	3	above upstand of benches
WLPT-003	PARTITION: laminate	1	2	under work top
FQSM-009	PEDESTAL: mobile, filing unit, 660H	3	3	under workstation bench
ITNE-023	PRINTER: networked	3	1	optional
WLPT-008	SCREEN: security, safety glass	1	1	over counter top, with communication slots
ITNE-049	TELEPHONE: handset, desktop	3	4	
MMGE-105	TRANSFER SYSTEM: document	1	1	optional
FIBM-018	WHITEBOARD: fixed	2	1	900x900

**Engineering Services**

AusHFG code	Description	Group	Qty	Comment
ITSE-006	BUTTON: duress, fixed	1	3	to workstation bench
ITSE-025	DOOR RELEASE: access control, remote activation	3	3	
ELGP-208	GPO: double, wall mounted	1	10	
ITSE-029	INTERCOM: audio, wall mount	1	1	optional
LIFX-008	LIGHT: task light, built in	1	5	to counter top & under O/H joinery
ITIN-026	OUTLET: data, double RJ45, wall mounted	1	3	to workstation bench, 1 outlet on each panel for telephone
ITIN-026	OUTLET: data, double RJ45, wall mounted	1	2	to rear bench, 1 outlet for telephone
ITIN-016	OUTLET: data, single RJ45, wall mounted	1	1	for EFTPOS
ELBO-015	SWITCH: light, single	1	4	