

Room Name	Shower - Staff	Room Number SHST
<b>Revision</b>	6	
<b>Issue Date</b>	28.06.2021	
<b>BRIEFING</b>		
<b>Briefed Area</b>	3.00 m <sup>2</sup>	
<b>Hours of Operation</b>	Available 24 Hours	
<b>Occupancy</b>	1 staff	
<b>Acoustics</b>	Sound attenuation level high, Acoustic privacy is required.	
<b>Remarks</b>		
<b>Description / Special Requirements</b>	<p>A shower and changing area for use by staff.</p> <p>Additional Design Considerations:</p> <ul style="list-style-type: none"> <li>Secure, staff-only access to change rooms may be required if located in a public or patient care area.</li> <li>The Staff Shower may be gender specific or unisex.</li> </ul>	
<b>SERVICES</b>		
<b>Electrical</b>	BODY PROTECTED <input type="checkbox"/>	CARDIAC PROTECTED <input type="checkbox"/>
<b>HVAC</b>	AIRCONDITIONING <input type="checkbox"/>	AIRCONDITIONING: hepa filtered <input type="checkbox"/>
	AIRCONDITIONING: positive pressure <input type="checkbox"/>	AIRCONDITIONING: negative pressure <input type="checkbox"/>
	EXHAUST: room exhaust <input checked="" type="checkbox"/>	VENTILATION <input checked="" type="checkbox"/>
<b>Lighting</b>	LIGHTING: colour corrected <input type="checkbox"/>	LIGHTING: dimmable <input type="checkbox"/>
	LIGHTING: downlights <input type="checkbox"/>	LIGHTING: downlights, dimmable <input type="checkbox"/>
	LIGHTING: fluorescent/LED, downlights <input type="checkbox"/>	LIGHTING: fluorescent/LED, flush with ceiling, tamper proof <input type="checkbox"/>
	LIGHTING: fluorescent/LED, general <input checked="" type="checkbox"/>	LIGHTING: indirect <input type="checkbox"/>
<b>Security / Nurse Call</b>	NURSE CALL SYSTEM <input type="checkbox"/>	

**Room Fabrics**

AusHFG code	Description	Comment
CLFS-009	CEILING: plasterboard, water resistant, flush set, suspended, paint, washable	water resistant ceiling tiles are also acceptable
CLCN-008	CORNICE: square set flush between wall and ceiling, paint	
DWSC-001	DOOR: 850mm c/o, single leaf, solid core, paint	with privacy latch
DWPR-001	DOOR PROTECTION: kickplate, to 300 AFFL	
FLVY-009	FLOOR FINISH: vinyl, seamless, coved, wet area, non-slip	to be suitable for bare feet; tiles are also acceptable
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	to be tiles if tiled floor
WLWA-019	WALL FINISH: vinyl, full height	tiles are also acceptable

**Fittings, Furniture and Equipment (FF&E) Items**

AusHFG code	Description	Group	Qty	Comment
FIGE-003	BENCH SEAT: fixed, indoor	1	1	material to be suitable for wet areas
FQGE-011	CURTAIN: shower	3	1	optional, refer to local infection control policy

**Room Name | Shower - Staff**
**Room Number SHST**

AusHFG code	Description	Group	Qty	Comment
FIDI-030	DISPENSER: soap	2	1	
FIDI-049	HOLDER: soap/shampoo, non-recessed	1	1	optional
FIHR-026	HOOK: coat	1	1	
FIBM-006	MIRROR: fixed, glass	1	1	
FIRT-016	RAIL: towel	1	1	
HYTP-018	SHOWER: fixed rose	1	1	
HYTP-039	TAPWARE: mixer, shower, lever action	1	1	
FIRT-033	TRACK: curtain, shower	1	1	optional, refer to local infection control policy

**Engineering Services**

AusHFG code	Description	Group	Qty	Comment
HYDR-004	DRAIN: floor waste	1	1	
ITSE-038	READER: access control, general	1	1	optional
ELBO-015	SWITCH: light, single	1	1	