

Room Name	Store - Disaster Equipment	Room Number STDE
Revision	5	
Issue Date	20.03.17	
BRIEFING		
Briefed Area	8.00 m ²	
Hours of Operation	Available 24 Hours	
Occupancy	1 - 2 intermittently	
Acoustics		
Remarks		
Description / Special Requirements	The Disaster Equipment Store provides for the storage of equipment used in retrieval of patients, and for equipment used in Chemical, Biological and Radiological (CBR) incidents. The size of the room will be dependant on the role delineation and service level of the facility.	
SERVICES		
General Requirements	BODY PROTECTED = No	CARDIAC PROTECTED = No
Air	AIRCONDITIONING = Yes AIRCONDITIONING: positive pressure = No EXHAUST: room exhaust = No	AIRCONDITIONING: hepa filtered = No AIRCONDITIONING: negative pressure = No VENTILATION = No
Lighting	LIGHTING: colour corrected = No LIGHTING: downlights = No LIGHTING: fluorescent, downlights = No LIGHTING: fluorescent, general = Yes	LIGHTING: dimmable = No LIGHTING: downlights, dimmable = No LIGHTING: fluorescent, flush with ceiling, tamper proof = No LIGHTING: indirect = No
Nurse Call	NURSE CALL SYSTEM = No	

RETIRED

Room Fabrics

AusHFG code	Description	Comment
CLTI-008	CEILING: plasterboard, drop-in tiles, prefinished, 600 x 1200	
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	
DWSC-011	DOOR: 1100mm c/o, single leaf, solid core, paint	lockable
DWPR-006	DOOR PROTECTION: protection plate, to 900 AFFL, PVC, prefinished	equal to Acrovyn
DWPR-010	DOOR PROTECTION: to door frame, PVC, prefinished	equal to Acrovyn
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLWA-020	WALL FINISH: vinyl, to 1500 AFFL	wall protection

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FQSN-089	SHELVING: floor standing, 1200W x 600D x 2100H nom., metal	3	2	heavy duty
FQSN-080	SHELVING: floor standing, 900W x 600D x 2100H nom., metal	3	2	heavy duty

Engineering Services

Room Name | Store - Disaster Equipment

Room Number STDE

AusHFG code	Description	Group	Qty	Comment
ELGP-208	GPO: double, wall mounted	1	2	for recharging equipment
ELBO-015	SWITCH: light, single	1	1	

RETIRED