

Room Name	Store - Equipment, 20m2	Room Number STEQ-20
Revision	6	
Issue Date	28.06.2021	
BRIEFING		
Briefed Area	20.00 m ²	
Hours of Operation	Available 24 hours	
Occupancy	1-2 staff, intermittently	
Acoustics		
Remarks		
Description / Special Requirements	<p>A secure room for the storage and recharging of mobile equipment when not in use. Clear space is required for parking mobile equipment including IV poles, wheelchairs, patient transfer equipment, trolleys and commode chairs. Hooks may be provided for hanging equipment and rails may be provided to mount equipment whilst recharging.</p> <p>Additional Design Considerations:</p> <ul style="list-style-type: none"> Minimum and maximum shelving heights to suit local WHS and infection control policies, as well as fire safety requirements (e.g. the top of stored products is to be no nearer than 500mm to sprinkler deflectors). 	
SERVICES		
Electrical	BODY PROTECTED <input type="checkbox"/>	CARDIAC PROTECTED <input type="checkbox"/>
HVAC	AIRCONDITIONING <input checked="" type="checkbox"/>	AIRCONDITIONING: hepa filtered <input type="checkbox"/>
	AIRCONDITIONING: positive pressure <input type="checkbox"/>	AIRCONDITIONING: negative pressure <input type="checkbox"/>
	EXHAUST: room exhaust <input type="checkbox"/>	VENTILATION <input type="checkbox"/>
Lighting	LIGHTING: colour corrected <input type="checkbox"/>	LIGHTING: dimmable <input type="checkbox"/>
	LIGHTING: downlights <input type="checkbox"/>	LIGHTING: downlights, dimmable <input type="checkbox"/>
	LIGHTING: fluorescent/LED, downlights <input type="checkbox"/>	LIGHTING: fluorescent/LED, flush with ceiling, tamper proof <input type="checkbox"/>
	LIGHTING: fluorescent/LED, general <input checked="" type="checkbox"/>	LIGHTING: indirect <input type="checkbox"/>
Security / Nurse Call	NURSE CALL SYSTEM <input type="checkbox"/>	

Room Fabrics

AusHFG code	Description	Comment
CLTI-008	CEILING: plasterboard, drop-in tiles, prefinished, 600 x 1200	
CLCN-009	CORNICE: wall trim fixing	
DWSC-021	DOOR: 1400mm c/o, 1 1/2 leaf, solid core, paint	
DWPR-005	DOOR PROTECTION: protection plate to 900 AFFL	
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLWA-020	WALL FINISH: vinyl, to 1500 AFFL	height dependent on type and height of mobile equipment, crash rails are also acceptable

Fittings, Furniture and Equipment (FF&E) Items

Room Name | Store - Equipment, 20m2

Room Number STEQ-20

AusHFG code	Description	Group	Qty	Comment
FIHR-030	HOOK: equipment, on mounting plate	1	4	optional, provision dependent on service requirements, to be rated for minimum 10kg per hook if provided
FIRT-012	RAIL: equipment	1	3	optional, provision dependent on service requirements
FQSN-082	SHELVING: floor standing, 900W x 450D x 2100H nom., wire	3	3	adjustable shelving; type and quantity of storage options to be determined based on service requirements
FIBM-019	WHITEBOARD: fixed, magnetic	2	1	optional

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ELGP-208	GPO: double, wall mounted	1	16	type, quantity and configuration of outlets dependent on operational and equipment requirements
ELBO-015	SWITCH: light, single	1	1	