

Room Name | **Waiting, 50m2**
Room Number **WAIT-50**
Revision

5

Issue Date

20.03.17

BRIEFING
Briefed Area

50.00 m²
Hours of Operation

24 Hours

Occupancy

Up to 40

Acoustics
Remarks
**Description /
Special Requirements**

An area for visitors and patients to wait in comfort associated with the Main Entry area. The Waiting area may be for the use of public, patients, families and other visitors to the facility. The Waiting area will require facilities for a range of occupants including adults and children, both able-bodied and disabled. An external outlook is desirable. Public amenities and telephone bays should be located nearby.

SERVICES
General Requirements

BODY PROTECTED = No

CARDIAC PROTECTED = No

Air

AIRCONDITIONING = Yes

AIRCONDITIONING: hepa filtered = No

AIRCONDITIONING: positive pressure = No

AIRCONDITIONING: negative pressure = No

EXHAUST: room exhaust = No

VENTILATION = No

Lighting

LIGHTING: colour corrected = No

LIGHTING: dimmable = No

LIGHTING: downlights = No

LIGHTING: downlights, dimmable = No

LIGHTING: fluorescent, downlights = No

LIGHTING: fluorescent, flush with ceiling, tamper proof = No

LIGHTING: fluorescent, general = Yes

LIGHTING: indirect = No

Nurse Call

NURSE CALL SYSTEM = No

RETIRED

Room Fabrics

AusHFG code	Description	Comment
CLTI-002	CEILING: acoustic, drop-in tiles, 600 x 1200	
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	
FLCP-003	FLOOR FINISH: carpet, broadloom, 48 oz., 90/10 wool/nylon	Default = carpet; standard slip resistant vinyl also acceptable
FLSK-009	SKIRTING: vinyl, feather edged, 150H, prefinished	Default = feather edged vinyl; or floor vinyl coved skirting
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLPR-012	WALL PROTECTION: corner guards, to 900 AFFL, prefinished PVC	as required, Equal to Acrovyn
DWWH-005	WINDOW	desirable

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FIHR-006	BRACKET: for display screen, wall mounted	1	1	
FQBS-032	CHAIR: waiting	3	35	may have a mixture of chairs with arms and without arms; include space for wheelchairs
DWWD-011	CURTAIN: window, drapes	3	1	optional; may also use blinds
ITBU-011	DISPLAY SCREEN: MATV	3	1	Flat screen on bracket. 54cm
FIBM-013	NOTICEBOARD: fixed, fabric covered	1	1	or artwork, optional

Room Name | **Waiting, 50m2**
Room Number WAIT-50

AusHFG code	Description	Group	Qty	Comment
FIHR-045	RACK: magazine/pamphlet	3	1	
FQTA-075	TABLE: square, 600W, low height	3	4	
FIRT-030	TRACK: curtain, flat pelmet	1	1	optional; may also use blinds

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ELGP-208	GPO: double, wall mounted	1	1	
ELGP-106	GPO: single, special, for equipment	1	1	TV
ELGP-110	GPO: single, wall mounted, cleaner	1	1	as required
ITIN-070	OUTLET: MATV	1	1	

RETIRED