

Room Name	Waiting - Sub, 5m2		Room Number WAIT-SUB
Revision	5		
Issue Date	20.03.17		
BRIEFING			
Briefed Area	5.00 m ²		
Hours of Operation	24 Hours		
Occupancy	Up to 5		
Acoustics			
Remarks			
Description / Special Requirements	A satellite area for visitors, families and patients to wait, located within Departmental Units, close to Procedures/ Imaging rooms or Offices. The Sub-Waiting area should accommodate parking space for wheelchairs as required.		
SERVICES			
General Requirements	BODY PROTECTED = No	CARDIAC PROTECTED = No	
Air	AIRCONDITIONING = Yes AIRCONDITIONING: positive pressure = No EXHAUST: room exhaust = No	AIRCONDITIONING: hepa filtered = No AIRCONDITIONING: negative pressure = No VENTILATION = No	
Lighting	LIGHTING: colour corrected = No LIGHTING: downlights = No LIGHTING: fluorescent, downlights = No LIGHTING: fluorescent, general = Yes	LIGHTING: dimmable = No LIGHTING: downlights, dimmable = No LIGHTING: fluorescent, flush with ceiling, tamper proof = No LIGHTING: indirect = No	
Nurse Call	NURSE CALL SYSTEM = No		

Room Fabrics

AusHFG code	Description	Comment
CLTI-002	CEILING: acoustic, drop-in tiles, 600 x 1200	
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	
FLCP-003	FLOOR FINISH: carpet, broadloom, 48 oz., 90/10 wool/nylon	Default = carpet; vinyl also acceptable
FLSK-009	SKIRTING: vinyl, feather edged, 150H, prefinished	Default = Feather edged: or floor vinyl coved skirting
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLPR-012	WALL PROTECTION: corner guards, to 900 AFFL, prefinished PVC	as required, Equal to Acrovyn
WLPR-019	WALL PROTECTION: crash rail, at 900 AFFL, prefinished PVC	Equal to Acrovyn

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FQBS-032	CHAIR: waiting	3	4	some with arms, space for wheelchair
FIHR-045	RACK: magazine/pamphlet	3	1	
FQTA-075	TABLE: square, 600W, low height	3	2	

Engineering Services

Room Name | Waiting - Sub, 5m2

Room Number WAIT-SUB

AusHFG code	Description	Group	Qty	Comment
ELGP-109	GPO: single, wall mounted	1	2	