

| Room Name | Toilet - Public | | Room Number | WCPU |
|---|--|-------------------------------------|---|-------------------------------------|
| Revision | 6 | | | |
| Issue Date | 18.01.2021 | | | |
| BRIEFING | | | | |
| Briefed Area | 3.00 m ² | | | |
| Hours of Operation | 24 Hours | | | |
| Occupancy | 1 | | | |
| Acoustics | Sound attenuation level high, Acoustic privacy is required. | | | |
| Remarks | | | | |
| Description / Special Requirements | The Toilet - Public provides a toilet and basin for use by the general public. Signage with braille tactile nominating 'Unisex Public WC' required | | | |
| SERVICES | | | | |
| General Requirements | BODY PROTECTED | <input type="checkbox"/> | CARDIAC PROTECTED | <input type="checkbox"/> |
| Air | AIRCONDITIONING | <input type="checkbox"/> | AIRCONDITIONING: hepa filtered | <input type="checkbox"/> |
| | AIRCONDITIONING: positive pressure | <input type="checkbox"/> | AIRCONDITIONING: negative pressure | <input type="checkbox"/> |
| | EXHAUST: room exhaust | <input checked="" type="checkbox"/> | VENTILATION | <input checked="" type="checkbox"/> |
| Lighting | LIGHTING: colour corrected | <input type="checkbox"/> | LIGHTING: dimmable | <input type="checkbox"/> |
| | LIGHTING: downlights | <input type="checkbox"/> | LIGHTING: downlights, dimmable | <input type="checkbox"/> |
| | LIGHTING: fluorescent/LED, downlights | <input type="checkbox"/> | LIGHTING: fluorescent/LED, flush with ceiling, tamper proof | <input type="checkbox"/> |
| | LIGHTING: fluorescent/LED, general | <input checked="" type="checkbox"/> | LIGHTING: indirect | <input type="checkbox"/> |
| Nurse Call | NURSE CALL SYSTEM | <input type="checkbox"/> | | |

Room Fabrics

| AusHFG code | Description | Comment |
|-------------|--|---|
| CLTI-014 | CEILING: plasterboard, water resistant, drop-in tiles, prefinished, 600 x 1200 | |
| CLCN-009 | CORNICE: wall trim fixing | |
| DWSC-001 | DOOR: 850mm c/o, single leaf, solid core, paint | with privacy latch, emergency release required if inward opening door |
| DWPR-001 | DOOR PROTECTION: kickplate, to 300 AFFL | |
| FLVY-009 | FLOOR FINISH: vinyl, seamless, coved, wet area, non-slip | tiles are also acceptable |
| FLSK-010 | SKIRTING: vinyl, floor vinyl coved, 150H, prefinished | to be tiles if tiled floor |
| WLWA-004 | WALL FINISH: paint, acrylic, washable | |
| WLWA-007 | WALL FINISH: splashback | |

Fittings, Furniture and Equipment (FF&E) Items

| AusHFG code | Description | Group | Qty | Comment |
|-------------|-----------------------------|-------|-----|---------|
| HYBA-011 | BASIN: handwash, Type C | 1 | 1 | |
| FQCW-016 | BIN: waste, general, 20L | 3 | 1 | |
| FQCW-037 | BIN: waste, sanitary | 3 | 1 | |
| FIDI-025 | DISPENSER: paper/hand towel | 2 | 1 | |

Room Name | **Toilet - Public**
Room Number WCPU

| AusHFG code | Description | Group | Qty | Comment |
|-------------|-------------------------------------|-------|-----|---------|
| FIDI-030 | DISPENSER: soap | 2 | 1 | |
| FIDI-036 | DISPENSER: toilet paper | 1 | 1 | |
| FIHR-026 | HOOK: coat | 1 | 1 | |
| FIBM-006 | MIRROR: fixed, glass | 1 | 1 | |
| HYTP-036 | TAPWARE: mixer, basin, lever action | 1 | 1 | |
| HYWC-008 | TOILET SUITE: standard | 1 | 1 | |

Engineering Services

| AusHFG code | Description | Group | Qty | Comment |
|-------------|-----------------------|-------|-----|---------|
| HYDR-004 | DRAIN: floor waste | 1 | 1 | |
| ELBO-015 | SWITCH: light, single | 1 | 1 | |