

Room Name	Toilet - Staff	Room Number WCST
<b>Revision</b>	6	
<b>Issue Date</b>	18.01.2021	
<b>BRIEFING</b>		
<b>Briefed Area</b>	3.00 m <sup>2</sup>	
<b>Hours of Operation</b>	24 Hours	
<b>Occupancy</b>	1	
<b>Acoustics</b>	Sound attenuation level high, Acoustic privacy is required.	
<b>Remarks</b>		
<b>Description / Special Requirements</b>	The Toilet - Staff provides a toilet and basin for use by staff. Staff only access may be required if this room is provided in a public or patient care area. Signage with braille tactile nominating 'Unisex Staff WC' required	
<b>SERVICES</b>		
<b>General Requirements</b>	BODY PROTECTED <input type="checkbox"/>	CARDIAC PROTECTED <input type="checkbox"/>
<b>Air</b>	AIRCONDITIONING <input type="checkbox"/>	AIRCONDITIONING: hepa filtered <input type="checkbox"/>
	AIRCONDITIONING: positive pressure <input type="checkbox"/>	AIRCONDITIONING: negative pressure <input type="checkbox"/>
	EXHAUST: room exhaust <input checked="" type="checkbox"/>	VENTILATION <input checked="" type="checkbox"/>
<b>Lighting</b>	LIGHTING: colour corrected <input type="checkbox"/>	LIGHTING: dimmable <input type="checkbox"/>
	LIGHTING: downlights <input type="checkbox"/>	LIGHTING: downlights, dimmable <input type="checkbox"/>
	LIGHTING: fluorescent/LED, downlights <input type="checkbox"/>	LIGHTING: fluorescent/LED, flush with ceiling, tamper proof <input type="checkbox"/>
	LIGHTING: fluorescent/LED, general <input checked="" type="checkbox"/>	LIGHTING: indirect <input type="checkbox"/>
<b>Nurse Call</b>	NURSE CALL SYSTEM <input type="checkbox"/>	

**Room Fabrics**

AusHFG code	Description	Comment
CLTI-014	CEILING: plasterboard, water resistant, drop-in tiles, prefinished, 600 x 1200	
CLCN-009	CORNICE: wall trim fixing	
DWSC-001	DOOR: 850mm c/o, single leaf, solid core, paint	with privacy latch, emergency release required if inward opening door
DWPR-001	DOOR PROTECTION: kickplate, to 300 AFFL	
FLVY-009	FLOOR FINISH: vinyl, seamless, coved, wet area, non-slip	tiles are also acceptable
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	to be tiles if tiled floor
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLWA-007	WALL FINISH: splashback	

**Fittings, Furniture and Equipment (FF&E) Items**

AusHFG code	Description	Group	Qty	Comment
HYBA-011	BASIN: handwash, Type C	1	1	
FQCW-016	BIN: waste, general, 20L	3	1	
FQCW-037	BIN: waste, sanitary	3	1	
FIDI-025	DISPENSER: paper/hand towel	2	1	

**Room Name** | **Toilet - Staff**
**Room Number WCST**

AusHFG code	Description	Group	Qty	Comment
FIDI-030	DISPENSER: soap	2	1	
FIDI-036	DISPENSER: toilet paper	1	1	
FIHR-026	HOOK: coat	1	1	
FIBM-006	MIRROR: fixed, glass	1	1	
HYTP-036	TAPWARE: mixer, basin, lever action	1	1	
HYWC-008	TOILET SUITE: standard	1	1	

**Engineering Services**

AusHFG code	Description	Group	Qty	Comment
HYDR-004	DRAIN: floor waste	1	1	
ITSE-038	READER: access control, general	1	1	optional, may be provided if room located in a public area
ELBO-015	SWITCH: light, single	1	1	