

# AUSTRALASIAN HFG STANDARD COMPONENTS

Room Layout Sheet


RLS Room Code: **CLCR-I**

Room Name:


**CATHETER LABORATORY INTERVENTIONAL CONTROL ROOM**




CODE	DESCRIPTION
DWOB-009	OBSERVATION: internal window, lead glass, clear
DWPR-005	DOOR PROTECTION: protection plate to 900 AFFL
DWWD-004	BLIND: roller
ELBO-001	BUTTON: emergency stop
ELBO-012	SWITCH: light, dimmer
ELGP-110	GPO: single, wall mounted, cleaner
ELGP-123	GPO: emergency power, single, wall mounted
ELGP-130	GPO: UPS, single
ELGP-223	GPO: emergency power, double, wall mounted
ELPR-006	RCD: residual current device
FIDI-001	DISPENSER: alcohol based hand rub
FIHR-006	BRACKET: for display screen, wall mounted
FIHR-070	BRACKET: for display screen, dual, desk mounted
FIHR-075	BRACKET: for computer CPU, underdesk mounted
FUJO-031	BENCH: 750D, open under, laminate finish
FUJO-099	CAC: cable access cap
FUJO-143	CUPBOARD: wall mount, double door, adj shelves
FUJO-212	BULKHEAD: joinery
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant
FQBS-018	CHAIR: office, ergonomic
FQCW-016	BIN: waste, general, 20L
ITAV-014	MICROPHONE: surface mounted, gooseneck
ITAV-057	SPEAKER: ceiling recessed
ITBU-013	DISPLAY SCREEN: patient flow system
ITIN-016	OUTLET: data, single RJ45, wall mounted
ITIN-026	OUTLET: data, double RJ45, wall mounted
ITNE-009	COMPUTER: hi performance, for clinical / PACS use
ITNE-023	PRINTER: networked
ITNE-049	TELEPHONE: handset, desktop
ITNE-067	KEYBOARD: keyboard and mouse only
ITNE-068	COMPUTER: hi performance, for clinical / PACS use, CPU, underbench mount
ITNE-069	DISPLAY SCREEN: PACS, portrait
LIFX-002	LIGHT: illuminated sign, 'X-Ray in Use'
MEGE-007	CONTROL PANEL: temperature
MGFP-001	ALARM PANEL: medical gases
MMMI-369	DISPLAY SCREEN: contrast injector
MMMI-386	CONTROL UNIT: c/w display, control box and keyboard, Cath Lab
WLWA-004	WALL FINISH: paint, acrylic, washable




PLAN




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4



REV	DESCRIPTION	DATE
4	General update following ERG review	13.05.2020

FOR GUIDANCE

SCALE	RLS Room Code	REV
1 : 50 @ A3	CLCR-I	4