



AUSTRALASIAN HFG STANDARD COMPONENTS

Room Layout Sheet


RLS Room Code: **CLUP-7**

Room Name:


CLEAN-UP ROOM, 7m²




| CODE | DESCRIPTION |
|----------|---|
| DWPR-005 | DOOR PROTECTION: protection plate to 900 AFFL |
| ELBO-015 | SWITCH: light, single |
| ELGP-208 | GPO: double, wall mounted |
| FIDI-014 | DISPENSER: disposable glove |
| FIDI-025 | DISPENSER: paper/hand towel |
| FIDI-030 | DISPENSER: soap |
| FIDI-031 | DISPENSER: soap antiseptic |
| FIHR-016 | BRACKET: for sharps bin |
| FIHR-049 | RACK: mop |
| FUJO-021 | BENCH: 600D, open under, stainless steel lipped |
| FUJO-100 | BENCH LEGS: stainless steel, for bench top |
| FUJO-152 | CUPBOARD: wall mount, shelf unit, adj shelves |
| FUJO-196 | SHELF: stainless steel, overbench, wall mount |
| FUJO-197 | SHELF: stainless steel, underbench |
| FLSK-010 | SKIRTING: vinyl, floor vinyl coved, 150H, prefinished |
| FLVY-004 | FLOOR FINISH: vinyl, seamless, coved, non-slip, safety |
| FQCW-006 | BIN: waste, clinical, 240L |
| FQCW-008 | BIN: waste, clinical, 50L |
| FQCW-016 | BIN: waste, general, 20L |
| FQCW-029 | BIN: waste, recycling, paper, 240L |
| FQCW-044 | BIN: waste, sharps, wall mounted |
| FQCW-060 | BIN: waste, cytotoxic, 50L |
| FQSM-016 | TROLLEY |
| HYBA-010 | BASIN: handwash, Type B |
| HYBA-040 | SINK: cleaner |
| HYBA-052 | SINK: single, 450 x 350 x 250D |
| HYDR-004 | DRAIN: floor waste |
| HYTP-037 | TAPWARE: mixer, elbow levers |
| HYTP-038 | TAPWARE: mixer, elbow levers, long |
| MMGE-048 | LINEN CARRIER: dirty, single |
| WLPR-013 | WALL PROTECTION: corner guards, to 1500 AFFL, prefinished PVC |
| WLWA-004 | WALL FINISH: paint, acrylic, washable |
| WLWA-005 | WALL FINISH: paint, scrub resistant |
| WLWA-020 | WALL FINISH: vinyl, to 1500 AFFL |
| WLWA-021 | WALL FINISH: vinyl, to 1800 AFFL |




PLAN




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4



| REV | DESCRIPTION | DATE |
|-----|-------------------------------------|------------|
| 6 | General update following ERG review | 13.05.2020 |

FOR GUIDANCE

| SCALE | RLS Room Code | REV |
|-------------|---------------|-----|
| 1 : 50 @ A3 | CLUP-7 | 6 |