


# AUSTRALASIAN HFG STANDARD COMPONENTS

Room Layout Sheet

RLS Room Code: OFF-CLN


Room Name:

1:50 2.5m 2 1.5 1 0.5 0  
OFFICE - CLINICAL WORKROOM




CODE	DESCRIPTION
DWOB-002	OBSERVATION: internal window, alum/glass, door height, powdercoat
ELBO-015	SWITCH: light, single
ELGP-130	GPO: UPS, single
ELGP-208	GPO: double, wall mounted
ELGP-235	GPO: UPS, double, wall mounted
FIBM-019	WHITEBOARD: fixed, magnetic
FIHR-006	BRACKET: for display screen, wall mounted
FIHR-080	BRACKET: for bench, 750D, wall mounted
FIHR-093	BRACKET: keyboard shelf, wall mounted
FUJO-031	BENCH: 750D, open under, laminate finish
FUJO-099	CAC: cable access cap
FUJO-152	CUPBOARD: wall mount, shelf unit, adj shelves
FUJO-212	BULKHEAD: joinery
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant
FQBS-018	CHAIR: office, ergonomic
FQCW-016	BIN: waste, general, 20L
ITBU-013	DISPLAY SCREEN: patient flow system
ITCL-037	CHARGER: wireless duress devices
ITIN-016	OUTLET: data, single RJ45, wall mounted
ITIN-036	OUTLET: data, triple RJ45, wall mounted
ITNE-007	COMPUTER: desktop, with display screen
ITNE-023	PRINTER: networked
ITNE-049	TELEPHONE: handset, desktop
ITNE-067	KEYBOARD: keyboard and mouse only
ITSE-006	BUTTON: duress, fixed
LIFX-008	LIGHT: task light, built in
WLWA-004	WALL FINISH: paint, acrylic, washable


NOTE: ONE COMPUTER HAS BEEN NOMINATED AS A DOWNTIME COMPUTER WITH UPS POWER AND THIS REQUIREMENT WILL NEED TO BE CONFIRMED. THE DOWNTIME COMPUTER, IF REQUIRED BY A UNIT, MAY ALTERNATIVELY BE PROVIDED IN A STAFF STATION. PROVISION OF A DOWNTIME COMPUTER WILL NEED TO BE RATIONALISED ACROSS THE UNIT




PLAN




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4



REV	DESCRIPTION	DATE
6	General update following ERG review	28.06.2021

FOR GUIDANCE

SCALE	RLS Room Code	REV
1 : 50 @ A3	OFF-CLN	6