


AUSTRALASIAN HFG STANDARD COMPONENTS

Room Layout Sheet

RLS Room Code: OR-GEN

Room Name:

OPERATING ROOM




| CODE         | DESCRIPTION                                                                                            |
|--------------|--------------------------------------------------------------------------------------------------------|
| AFDPR-006.05 | DOOR PROTECTION: plate, full height                                                                    |
| AHDEC-036    | SWITCH: door release, double gang, automatic door, wall mounted                                        |
| ELGP-105     | GPO: single, wall mounted, cleaner                                                                     |
| ELGP-146     | GPO: single, emergency power, on service panel                                                         |
| ELGP-176     | GPO: single, UPS, on service panel                                                                     |
| ELGP-223     | GPO: emergency power, double, wall mounted                                                             |
| ELGP-231.01  | GPO: double, emergency power, wall mounted, horizontal                                                 |
| ELGP-261     | GPO: double, UPS, wall mounted                                                                         |
| ELPR-001     | BODY PROTECTED ELECTRICAL AREA                                                                         |
| ELPR-011     | MONITOR: line isolation, wall mounted                                                                  |
| ELPR-033     | PANEL: UPS status indicator, on services panel                                                         |
| ELPR-073     | RCD: residual current device, on services panel                                                        |
| ELSW-042     | SWITCH: light, laser in use                                                                            |
| ELSW-043     | SWITCH: light, x-ray in use                                                                            |
| ELSW-051     | CONTROL PANEL: lighting                                                                                |
| FIBM-019     | WHITEBOARD: fixed, magnetic                                                                            |
| FIDI-106     | DISPENSER: PPE, disposable gloves, wall mounted                                                        |
| FIDI-181     | DISPENSER: cleaning wipes, wall mounted                                                                |
| FIDI-241     | DISPENSER: alcohol-based hand rub, wall mounted                                                        |
| FIHR-101     | BRACKET: suction bottle, wall mounted                                                                  |
| FIHR-212     | BRACKET: computer display screen, single, articulated, wall mounted                                    |
| FIHR-327     | BRACKET: keyboard and mouse, articulated, wall mounted                                                 |
| FIHR-331     | BRACKET: television/AV system display screen, single, fixed, wall mounted                              |
| FLSK-021     | SKIRTING: vinyl, integral with floor vinyl, coved                                                      |
| FLVY-101     | FLOOR FINISH: vinyl, seamless, standard slip resistance                                                |
| FQCL-211     | LINEN CARRIER: dirty, single skip                                                                      |
| FQWS-032     | CART: sharps bin, clinical, foot pedal bin operation                                                   |
| FQWS-396     | TROLLEY: waste bag                                                                                     |
| ITCL-069     | CLOCK: electric, master clock system, slave, digital, dual time/elapsed time                           |
| ITCL-081     | CONTROL PANEL: master clock system                                                                     |
| ITCL-181     | BUTTON: staff assist, with cancel, wall mounted                                                        |
| ITCL-191     | BUTTON: emergency, with cancel, wall mounted                                                           |
| ITCL-211     | BUTTON: orderly / porter, with cancel, wall mounted                                                    |
| ITIN-016     | OUTLET: data, single RJ45, wall mounted                                                                |
| ITIN-025     | OUTLET: data, double RJ45, on services panel                                                           |
| ITIN-026     | OUTLET: data, double RJ45, wall mounted                                                                |
| ITIN-036     | OUTLET: data, triple RJ45, wall mounted                                                                |
| ITNE-076     | TELEPHONE: handset, wall mounted                                                                       |
| ITNE-101     | COMPUTER: single display screen, central processing unit (CPU), keyboard and mouse, desktop            |
| ITNE-111     | COMPUTER: workstation on wheels (WOW), medical grade, all-in-one computer, keyboard and mouse, on cart |
| ITNE-122     | COMPUTER: single display screen, all-in-one, medical grade                                             |
| ITNE-204     | INPUT DEVICE: keyboard and mouse, medical grade, washable                                              |
| ITNE-224     | INPUT DEVICE: bar code scanner, wireless, with charging dock, medical grade, washable                  |
| ITSE-025     | DOOR RELEASE: access control, remote activation                                                        |
| JOBE-002     | BENCH: 450D, stainless steel                                                                           |
| JOBE-231     | BENCH SUPPORT: legs and frame, stainless steel                                                         |
| LIFX-212     | LIGHT: illuminated sign, laser in use                                                                  |
| LIFX-213     | LIGHT: illuminated sign, x-ray in use                                                                  |
| MEEEX-046    | GRILLE: return air, wall mounted, low level                                                            |
| MGAS-022     | OUTLET: medical air, on services panel                                                                 |
| MGAS-042     | OUTLET: oxygen (O2), on services panel                                                                 |
| MGAS-062     | OUTLET: suction, on services panel                                                                     |
| MGFP-001     | ALARM: medical gases, panel, wall mounted                                                              |
| MGFP-021     | FLOWMETER: oxygen                                                                                      |
| MGFP-041     | FLOWMETER: medical air                                                                                 |
| MMGE-002     | ADAPTER: suction                                                                                       |
| MMGE-045     | POLE: IV, mobile                                                                                       |
| MMGE-191     | CANNISTER: suction bottle                                                                              |
| MMGE-291     | DEVICE: pump, infusion, single                                                                         |
| MMGE-367     | DEVICE: patient warming, air blanket                                                                   |
| MMOP-106     | TABLE: operating, mobile, electric                                                                     |
| MMOP-121     | STOOL: mobile, operating                                                                               |
| MMOP-122     | STOOL: mobile, anaesthetic                                                                             |
| MMOP-123     | STOOL: mobile, surgeon                                                                                 |
| MMOP-162     | MACHINE: anaesthetic, with patient monitor, high acuity                                                |
| MMOP-166     | TROLLEY: anaesthetic                                                                                   |
| MMOP-171     | MACHINE: electrosurgical, diathermy                                                                    |
| MMOP-173     | MACHINE: smoke plume evacuation system                                                                 |
| MMOP-201     | STAND: bowl, double                                                                                    |
| MMOP-202     | STAND: bowl, single                                                                                    |
| MMOP-211     | KICKBUCKET: with stand                                                                                 |
| MMOP-302     | DISPLAY SCREEN: digital operating room (DOR) integration, wall mounted                                 |
| MMOP-303     | DISPLAY SCREEN: digital operating room (DOR) integration, pendant mounted                              |

| CODE        | DESCRIPTION                                                                            |
|-------------|----------------------------------------------------------------------------------------|
| MMOP-311    | CAMERA: patient observation, digital operating room (DOR) integration, ceiling mounted |
| MMOP-331    | SPEAKER: digital operating room (DOR) integration, ceiling recessed                    |
| MMOP-341    | CONTROL PANEL: digital operating room (DOR) integration, wall mounted                  |
| MMOP-346    | CONTROL PANEL: operating lights, wall mounted                                          |
| MMOP-351    | PATCH PANEL: digital operating room (DOR) integration, wall mounted                    |
| MMPH-002    | SAFE: dangerous drugs, wall mounted, medium                                            |
| MMSP-051    | MEDICAL SERVICES PANEL: wall mounted                                                   |
| MMSP-101    | MEDICAL SERVICES PENDANT: single arm, horizontal services head                         |
| MMSP-224    | MEDICAL SERVICES PENDANT: double arm, 1 light head, operating / display screen         |
| MMTR-003.02 | TROLLEY: stainless steel, 750W x 490D x 900H nom, 2 tier                               |
| MMTR-004.02 | TROLLEY: stainless steel, 900W x 490D x 900H nom, 2 tier                               |
| MMTR-108    | TROLLEY: set-up, table 1250W x 800D x 900H nom                                         |
| MMTR-123    | TROLLEY: gowns/scrubs, 1220W x 610D x 1830H nominal                                    |
| MMTR-171    | TROLLEY: mayo table                                                                    |
| WLFI-011.07 | WALL FINISH: vinyl, full height                                                        |

| ORGN(PP) PENDANT 1-OR |                                                                            |       |
|-----------------------|----------------------------------------------------------------------------|-------|
| CODE                  | DESCRIPTION                                                                | COUNT |
| ELGP-151              | GPO: single, emergency power, on services pendant                          | 12    |
| ELGP-181              | GPO: UPS, single, on services pendant                                      | 4     |
| ELPR-034              | PANEL: UPS status indicator, on services pendant                           | 1     |
| ITCL-185              | BUTTON: staff assist, with cancel, on services pendant                     | 1     |
| ITCL-195              | BUTTON: emergency, with cancel, on services pendant                        | 1     |
| ITCL-213              | BUTTON: orderly / porter, with cancel, on services pendant                 | 1     |
| ITIN-014              | OUTLET: data, single RJ45, on services pendant                             | 4     |
| MGAS-001              | OUTLET: carbon dioxide (CO2), on services pendant                          | 1     |
| MGAS-021              | OUTLET: medical air (MA), on services pendant                              | 1     |
| MGAS-031              | OUTLET: nitrous oxide (N2O), on services pendant                           | 1     |
| MGAS-041              | OUTLET: oxygen (O2), on services pendant                                   | 2     |
| MGAS-051              | OUTLET: scavenge, on services pendant                                      | 1     |
| MGAS-061              | OUTLET: suction, on services pendant                                       | 3     |
| MGAS-071              | OUTLET: tool air, integral control panel, on services pendant              | 1     |
| MGFP-021              | FLOWMETER: oxygen                                                          | 1     |
| MGFP-041              | FLOWMETER: medical air                                                     | 2     |
| MGFP-061              | ADAPTER: suction                                                           | 2     |
| MMGE-002              | ADAPTER: suction                                                           | 1     |
| MMOP-352              | PATCH PANEL: digital operating room (DOR) integration, on services pendant | 1     |
| MMOP-363              | OUTLET: digital operating room (DOR) integration, on services pendant      | 1     |


| ORGN(PP) PENDANT 2-OR |                                                                       |       |
|-----------------------|-----------------------------------------------------------------------|-------|
| CODE                  | DESCRIPTION                                                           | COUNT |
| ELGP-151              | GPO: single, emergency power, on services pendant                     | 12    |
| ELGP-181              | GPO: UPS, single, on services pendant                                 | 4     |
| ELGP-318              | ISOLATOR: three phase, with socket outlet, on services pendant        | 1     |
| ELPR-034              | PANEL: UPS status indicator, on services pendant                      | 1     |
| ITCL-185              | BUTTON: staff assist, with cancel, on services pendant                | 1     |
| ITCL-195              | BUTTON: emergency, with cancel, on services pendant                   | 1     |
| ITCL-213              | BUTTON: orderly / porter, with cancel, on services pendant            | 1     |
| ITIN-014              | OUTLET: data, single RJ45, on services pendant                        | 4     |
| MGAS-001              | OUTLET: carbon dioxide (CO2), on services pendant                     | 1     |
| MGAS-021              | OUTLET: medical air (MA), on services pendant                         | 1     |
| MGAS-031              | OUTLET: nitrous oxide (N2O), on services pendant                      | 1     |
| MGAS-041              | OUTLET: oxygen (O2), on services pendant                              | 2     |
| MGAS-051              | OUTLET: scavenge, on services pendant                                 | 1     |
| MGAS-061              | OUTLET: suction, on services pendant                                  | 3     |
| MGAS-071              | OUTLET: tool air, integral control panel, on services pendant         | 1     |
| MGFP-021              | FLOWMETER: oxygen                                                     | 1     |
| MGFP-041              | FLOWMETER: medical air                                                | 2     |
| MGFP-061              | ADAPTER: suction                                                      | 3     |
| MMOP-363              | OUTLET: digital operating room (DOR) integration, on services pendant | 1     |

NOTE:  
SERVICES ALLOCATIONS ARE INDICATIVE, TYPE AND NUMBER OF SERVICES ON THE PENDANT TO SUIT PROJECT REQUIREMENTS



PLAN

FOR GUIDANCE



| REV | DESCRIPTION                         | DATE       |
|-----|-------------------------------------|------------|
| 7   | GENERAL UPDATE FOLLOWING ERG REVIEW | 06/05/2025 |
|     |                                     |            |
|     |                                     |            |

| SCALE       | RLS Room Code | REV |
|-------------|---------------|-----|
| 1 : 50 @ A3 | OR-GEN        | 7   |



RLS Room Code: OR-GEN



| CODE      | DESCRIPTION                                                                                            |
|-----------|--------------------------------------------------------------------------------------------------------|
| ITCL-191  | BUTTON: emergency, with cancel, wall mounted                                                           |
| ITCL-211  | BUTTON: orderly / porter, with cancel, wall mounted                                                    |
| ITIN-016  | OUTLET: data, single RJ45, wall mounted                                                                |
| ITIN-025  | OUTLET: data, double RJ45, on services panel                                                           |
| ITIN-026  | OUTLET: data, double RJ45, wall mounted                                                                |
| ITIN-036  | OUTLET: data, triple RJ45, wall mounted                                                                |
| ITNE-076  | TELEPHONE: handset, wall mounted                                                                       |
| ITNE-101  | COMPUTER: single display screen, central processing unit (CPU), keyboard and mouse, desktop            |
| ITNE-111  | COMPUTER: workstation on wheels (WOW), medical grade, all-in-one computer, keyboard and mouse, on cart |
| ITNE-122  | COMPUTER: single display screen, all-in-one, medical grade                                             |
| ITNE-204  | INPUT DEVICE: keyboard and mouse, medical grade, washable                                              |
| ITNE-224  | INPUT DEVICE: bar code scanner, wireless, with charging dock, medical grade, washable                  |
| ITSE-025  | DOOR RELEASE: access control, remote activation                                                        |
| JOBE-002  | BENCH: 450D, stainless steel                                                                           |
| JOBE-231  | BENCH SUPPORT: legs and frame, stainless steel                                                         |
| LIFX-212  | LIGHT: illuminated sign, laser in use                                                                  |
| LIFX-213  | LIGHT: illuminated sign, x-ray in use                                                                  |
| MEEEX-046 | GRILLE: return air, wall mounted, low level                                                            |
| MGAS-022  | OUTLET: medical air, on services panel                                                                 |
| MGAS-042  | OUTLET: oxygen (O2), on services panel                                                                 |
| MGAS-062  | OUTLET: suction, on services panel                                                                     |
| MGFP-001  | ALARM: medical gases, panel, wall mounted                                                              |
| MGFP-021  | FLOWMETER: oxygen                                                                                      |
| MGFP-041  | FLOWMETER: medical air                                                                                 |
| MMGE-002  | ADAPTER: suction                                                                                       |
| MMGE-045  | POLE: IV, mobile                                                                                       |
| MMGE-191  | CANNISTER: suction bottle                                                                              |
| MMGE-291  | DEVICE: pump, infusion, single                                                                         |
| MMGE-367  | DEVICE: patient warming, air blanket                                                                   |
| MMOP-106  | TABLE: operating, mobile, electric                                                                     |



| ORGN(PP) PENDANT 1-OR |                                                                            |       |
|-----------------------|----------------------------------------------------------------------------|-------|
| CODE                  | DESCRIPTION                                                                | COUNT |
| ELGP-151              | GPO: single, emergency power, on services pendant                          | 12    |
| ELGP-181              | GPO: UPS, single, on services pendant                                      | 4     |
| ELPR-034              | PANEL: UPS status indicator, on services pendant                           | 1     |
| ITCL-185              | BUTTON: staff assist, with cancel, on services pendant                     | 1     |
| ITCL-195              | BUTTON: emergency, with cancel, on services pendant                        | 1     |
| ITCL-213              | BUTTON: orderly / porter, with cancel, on services pendant                 | 1     |
| ITIN-014              | OUTLET: data, single RJ45, on services pendant                             | 4     |
| MGAS-001              | OUTLET: carbon dioxide (CO2), on services pendant                          | 1     |
| MGAS-021              | OUTLET: medical air (MA), on services pendant                              | 1     |
| MGAS-031              | OUTLET: nitrous oxide (N2O), on services pendant                           | 1     |
| MGAS-041              | OUTLET: oxygen (O2), on services pendant                                   | 2     |
| MGAS-051              | OUTLET: scavenge, on services pendant                                      | 1     |
| MGAS-061              | OUTLET: suction, on services pendant                                       | 3     |
| MGAS-071              | OUTLET: tool air, integral control panel, on services pendant              | 1     |
| MGFP-021              | FLOWMETER: oxygen                                                          | 1     |
| MGFP-041              | FLOWMETER: medical air                                                     | 2     |
| MGFP-061              | ADAPTER: suction                                                           | 2     |
| MMGE-002              | ADAPTER: suction                                                           | 1     |
| MMOP-352              | PATCH PANEL: digital operating room (DOR) integration, on services pendant | 1     |
| MMOP-363              | OUTLET: digital operating room (DOR) integration, on services pendant      | 1     |

| ORGN(PP) PENDANT 2-OR |                                                                       |       |
|-----------------------|-----------------------------------------------------------------------|-------|
| CODE                  | DESCRIPTION                                                           | COUNT |
| ELGP-151              | GPO: single, emergency power, on services pendant                     | 12    |
| ELGP-181              | GPO: UPS, single, on services pendant                                 | 4     |
| ELGP-318              | ISOLATOR: three phase, with socket outlet, on services pendant        | 1     |
| ELPR-034              | PANEL: UPS status indicator, on services pendant                      | 1     |
| ITCL-185              | BUTTON: staff assist, with cancel, on services pendant                | 1     |
| ITCL-195              | BUTTON: emergency, with cancel, on services pendant                   | 1     |
| ITCL-213              | BUTTON: orderly / porter, with cancel, on services pendant            | 1     |
| ITIN-014              | OUTLET: data, single RJ45, on services pendant                        | 4     |
| MGAS-001              | OUTLET: carbon dioxide (CO2), on services pendant                     | 1     |
| MGAS-021              | OUTLET: medical air (MA), on services pendant                         | 1     |
| MGAS-031              | OUTLET: nitrous oxide (N2O), on services pendant                      | 1     |
| MGAS-041              | OUTLET: oxygen (O2), on services pendant                              | 2     |
| MGAS-051              | OUTLET: scavenge, on services pendant                                 | 1     |
| MGAS-061              | OUTLET: suction, on services pendant                                  | 3     |
| MGAS-071              | OUTLET: tool air, integral control panel, on services pendant         | 1     |
| MGFP-021              | FLOWMETER: oxygen                                                     | 1     |
| MGFP-041              | FLOWMETER: medical air                                                | 2     |
| MGFP-061              | ADAPTER: suction                                                      | 3     |
| MMOP-363              | OUTLET: digital operating room (DOR) integration, on services pendant | 1     |