

# AUSTRALASIAN HFG STANDARD COMPONENTS

Room Layout Sheet

RLS Room Code: PHA-CO


1:50 2.5m 2 1.5 1 0.5 0

Room Name:


PHARMACY - COUNTER




| CODE     | DESCRIPTION  |
|----------|--|
| ELBO-015 | SWITCH: light, single  |
| ELGP-208 | GPO: double, wall mounted  |
| ELGP-223 | GPO: emergency power, double, wall mounted                               |
| FIJO-051 | BENCH TOP: 450D, joinery under   |
| FIJO-058 | BENCH TOP: 600D, joinery under   |
| FIJO-099 | CAC: cable access cap  |
| FIJO-114 | CUPBOARD: drawer unit, lockable  |
| FIJO-135 | CUPBOARD: underbench, double door, adj shelves                           |
| FIJO-213 | PANEL: joinery carcass end   |
| FIJO-229 | JOINERY UNIT: reception counter, pharmacy                                |
| FIJO-230 | JOINERY UNIT: reception counter, pharmacy, accessible                    |
| FLCP-006 | FLOOR FINISH: carpet, carpet tiles, 90/10 wool/nylon                     |
| FLSK-009 | SKIRTING: vinyl, feather edged, 150H, prefinished                        |
| FQBS-018 | CHAIR: office, ergonomic   |
| FQBS-019 | CHAIR: office, ergonomic, high   |
| FQCW-016 | BIN: waste, general, 20L   |
| FQCW-064 | BIN: waste, paper, secure, 20L   |
| FQSN-028 | CABINET: pass through  |
| ITIN-026 | OUTLET: data, double RJ45, wall mounted                                  |
| ITNE-007 | COMPUTER: desktop, with display screen                                   |
| ITNE-023 | PRINTER: networked   |
| ITNE-049 | TELEPHONE: handset, desktop  |
| ITSE-006 | BUTTON: duress, fixed  |
| WLPT-015 | SCREEN: security, safety glass, with communication slot and pass through |
| WLWA-004 | WALL FINISH: paint, acrylic, washable                                    |




PLAN




ELEVATION 1




ELEVATION 2



ELEVATION 3



ELEVATION 4



ELEVATION 5

WHEELCHAIR ACCESSIBLE COUNTER TO BE COMPLIANT WITH AS1428 REQUIREMENTS



| REV | DESCRIPTION                         | DATE       |
|-----|-------------------------------------|------------|
| 4   | General update following ERG review | 26.04.2021 |

FOR GUIDANCE

| SCALE       | RLS Room Code | REV |
|-------------|---------------|-----|
| 1 : 50 @ A3 | PHA-CO        | 4   |