

# AUSTRALASIAN HFG STANDARD COMPONENTS

Room Layout Sheet


RLS Room Code: **PODTR-14**

Room Name:


1:50 2.5m 2 1.5 1 0.5 0  
**PODIATRY TREATMENT, 14m<sup>2</sup>**




CODE	DESCRIPTION
DWPR-006	DOOR PROTECTION: protection plate, to 900 AFFL, PVC, prefinished
DWPR-010	DOOR PROTECTION: to door frame, PVC, prefinished
DWWD-006	BLIND: venetian
DWWH-005	WINDOW
ELBO-015	SWITCH: light, single
ELGP-106	GPO: single, special, for equipment
ELGP-109	GPO: single, wall mounted
ELGP-208	GPO: double, wall mounted
ELPR-001	BODY PROTECTED ELECTRICAL AREA
FIBM-018	WHITEBOARD: fixed
FIDI-014	DISPENSER: disposable glove
FIDI-021	DISPENSER: mask
FIDI-025	DISPENSER: paper/hand towel
FIDI-030	DISPENSER: soap
FIDI-031	DISPENSER: soap antiseptic
FIHR-033	PANEL: for storage bins, wall mount
FJO-059	BENCH TOP: 600D, joinery under, laminate finish
FJO-136	CUPBOARD: underbench, double door, adj shelves, lockable
FJO-145	CUPBOARD: wall mount, double door, adj shelves, lockable
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant
FQBS-051	STOOL: mobile, adj height
FQCW-016	BIN: waste, general, 20L
FQSN-006	BIN: storage bins, for wall mounted panel
HYBA-010	BASIN: handwash, Type B
HYBA-069	SINK: single, with drainer, 930mmL
HYDR-008	TRAP: plaster
HYTP-037	TAPWARE: mixer, elbow levers
ITCL-004	BUTTON: nurse call, emergency
ITCL-008	BUTTON: nurse call, staff assist
ITIN-026	OUTLET: data, double RJ45, wall mounted
ITNE-007	COMPUTER: desktop, with display screen
ITNE-049	TELEPHONE: handset, desktop
LIFX-008	LIGHT: task light, built in
LIFX-013	LIGHT: procedure, ceiling mounted, small
MMAH-010	CHAIR: podiatry, electric
MMGE-036	FRIDGE: drugs, underbench
MMGE-119	TROLLEY: equipment
MMGE-150	VIEWER: X-ray, 1 screen
WLWA-004	WALL FINISH: paint, acrylic, washable
WLWA-010	WALL FINISH: splashback, vinyl




PLAN




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4



REV	DESCRIPTION	DATE
4	Coding and naming updated	20.03.2017

FOR GUIDANCE

SCALE	RLS Room Code	REV
1 : 50 @ A3	PODTR-14	4