RLS Room Code: PTB-E-AMB Room Name:


PATIENT BAY - EMERGENCY, AMBULANCE TRIAGE

1:25 1.25m_





0.75_

0.5 0.25




CODE	DESCRIPTION
FI GP-146	GPO: single, emergency power, on service panel
FI PR-073	RCD: residual current device, on services panel
ELSW-001	SWITCH: light
FIDI-241	DISPENSER: alcohol-based hand rub, wall mounted
FIHR-101	BRACKET: suction bottle, wall mounted
FIRT-051.03	TRACK: curtain, privacy, U-shaped
FLSK-021	SKIRTING: vinyl, integral with floor vinyl, coved
FLVY-101	FLOOR FINISH: vinyl, seamless, standard slip resistance
FQBS-101	CHAIR: visitor, clinical areas
FQGE-101	CURTAIN: privacy screen
FQWS-031	CART: sharps bin, clinical
FQWS-051	BIN: general waste, 20L
ITCL-111	LIGHT: nurse call indicator, ceiling mounted
ITCL-181	BUTTON: staff assist, with cancel, wall mounted
ITCL-191	BUTTON: emergency, with cancel, wall mounted
ITIN-025	OUTLET: data, double RJ45, on services panel
ITSE-061	BUTTON: security, duress, fixed, wall mounted
LIFX-111	LIGHT: examination, ceiling recessed
MGAS-022	OUTLET: medical air, on services panel
MGAS-042	OUTLET: oxygen (O2), on services panel
MGAS-062	OUTLET: suction, on services panel
MGFP-021	FLOWMETER: medical air
MGFP-041	FLOWMETER: oxygen
MGFP-061	ADAPTER: suction
MMGE-191	CANNISTER: suction bottle
MMSP-051	MEDICAL SERVICES PANEL: wall mounted
WLFI-002	WALL FINISH: paint, clinical areas
WLPR-002	WALL PROTECTION: bedhead wall panel, low height





COPYRIGHT 2025 AUSTRALASIAN HEALTH INFRASTRUCTURE ALLIANCE (AHIA

PTB-E-AMB G OF BAY WLFI-002 1400 WLPR-002 FQBS-101 SHARPS BIN AND WASTE BIN(S) MAY BE **ELEVATION 2**



G OF BAY

ELEVATION 3

ELEVATION 4 (1:25 @ A3)

Australasian Health Facility Guidelines

	REV	DESCRIPTION	DATE
I	2	GENERAL UPDATE FOLLOWING ERG REVIEW	18/08/2025

SCALE	RLS Room Code	REV
I : 50 @ A3	PTB-E-AMB	2