

AUSTRALASIAN HFG STANDARD COMPONENTS


Room Layout Sheet

RLS Room Code: **SRM-15**


1:50 2.5m 2 1.5 1 0.5 0

Room Name:


STAFF ROOM, 15m²




CODE	DESCRIPTION
DWPR-001	DOOR PROTECTION: kickplate, to 300 AFFL
DWWD-004	BLIND: roller
DWWH-005	WINDOW
ELBO-015	SWITCH: light, single
ELGP-109	GPO: single, wall mounted
ELGP-208	GPO: double, wall mounted
FIBM-019	WHITEBOARD: fixed, magnetic
FIDI-001	DISPENSER: alcohol based hand rub
FIDI-025	DISPENSER: paper/hand towel
FIDI-030	DISPENSER: soap
FIHR-006	BRACKET: for display screen, wall mounted
FJO-059	BENCH TOP: 600D, joinery under, laminate finish
FJO-106	CUPBOARD: drawer unit, 4 equal
FJO-135	CUPBOARD: underbench, double door, adj shelves
FJO-143	CUPBOARD: wall mount, double door, adj shelves
FJO-163	CUPBOARD: tall, single microwave
FJO-212	BULKHEAD: joinery
FJO-226	CUPBOARD: drawer unit, bin enclosure
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant
FOBS-015	CHAIR: dining
FOBS-039	LOUNGE: 1 seat
FOBS-042	LOUNGE: 2 seat, 1200 wide
FQCA-032	FRIDGE: domestic, 300L
FQCA-067	OVEN: microwave, domestic
FQCW-019	BIN: waste, general, 50L
FQTA-055	TABLE: round, 900 diam, dining height
FQTA-075	TABLE: square, 600W, low height
FSPV-004	FIRE EXTINGUISHER
FSPV-005	FIRE EXTINGUISHER: blanket
HYBA-080	SINK: single, with drainer, accessible
HYGE-003	BOILING/CHILLED WATER UNIT: Combination
HYTP-029	TAPWARE: boiling/chilled water unit (comb)
HYTP-040	TAPWARE: mixer, sink, accessible
ITBU-011	DISPLAY SCREEN: MATV
ITCL-001	ANNUNCIATOR: nurse call
ITIN-016	OUTLET: data, single RJ45, wall mounted
ITIN-026	OUTLET: data, double RJ45, wall mounted
ITIN-070	OUTLET: MATV
ITNE-053	TELEPHONE: handset, wall mount, handsfree
ITSE-038	READER: access control, general
WLWA-004	WALL FINISH: paint, acrylic, washable
WLWA-010	WALL FINISH: splashback, vinyl




PLAN




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4



REV	DESCRIPTION	DATE
6	General update following ERG review	28.06.2021

FOR GUIDANCE

SCALE	RLS Room Code	REV
1 : 50 @ A3	SRM-15	6