

AUSTRALASIAN HFG STANDARD COMPONENTS


Room Layout Sheet

RLS Room Code: **SRM-18**

1:50 2.5m 2 1.5 1 0.5 0



Room Name:

STAFF ROOM, 18m²




CODE	DESCRIPTION
DWPR-001	DOOR PROTECTION: kickplate, to 300 AFFL
DWW-006	BLIND: venetian
DWWH-005	WINDOW
ELBO-015	SWITCH: light, single
ELGP-109	GPO: single, wall mounted
ELGP-208	GPO: double, wall mounted
FIBM-013	NOTICEBOARD: fixed, fabric covered
FIBM-019	WHITEBOARD: fixed, magnetic
FIDI-025	DISPENSER: paper/hand towel
FIDI-030	DISPENSER: soap
FIHR-006	BRACKET: for display screen, wall mounted
FIHR-047	RACK: magazine, wall mounted
FUO-059	BENCH TOP: 600D, joinery under, laminate finish
FUO-106	CUPBOARD: drawer unit, 4 equal
FUO-135	CUPBOARD: underbench, double door, adj shelves
FUO-143	CUPBOARD: wall mount, double door, adj shelves
FUO-153	CUPBOARD: wall mount, shelf unit, adj shelves for microwave
FLCP-006	FLOOR FINISH: carpet, carpet tiles, 90/10 wool/nylon
FLSK-009	SKIRTING: vinyl, feather edged, 150H, prefinished
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant
FOBS-015	CHAIR: dining
FOBS-039	LOUNGE: 1 seat
FQCA-031	FRIDGE: domestic, 250L
FQCA-067	OVEN: microwave, domestic
FQCW-016	BIN: waste, general, 20L
FQTA-059	TABLE: square, 1100W, dining height
FQTA-075	TABLE: square, 600W, low height
HYBA-069	SINK: single, with drainer, 930mmL
HYGE-003	BOILING/CHILLED WATER UNIT: Combination
HYTP-029	TAPWARE: boiling/chilled water unit (comb)
HYTP-040	TAPWARE: mixer, sink, accessible
ITBU-011	DISPLAY SCREEN: MATV
ITCL-002	CEILING: acoustic, drop-in tiles, 600 x 1200
ITIN-006	ITIN: data, single, wall mounted
ITIN-026	ITIN: data, double, wall mounted
ITIN-070	ITIN: MATV
ITNE-052	ITNE: handset, wall mounted
WLWA-004	WALL FINISH: paint, washable
WLWA-007	WALL FINISH: splashback


RETIRED




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4



REV	DESCRIPTION	DATE
4	Coding and naming updated	20.03.2017

FOR GUIDANCE

SCALE	RLS Room Code	REV
1 : 50 @ A3	SRM-18	4