


AUSTRALASIAN HFG STANDARD COMPONENTS


Room Layout Sheet

RLS Room Code: SSTN-E

Room Name: STAFF STATION - EMERGENCY, CONTROL HUB




CODE	DESCRIPTION
ELGP-136.01	GPO: single, emergency power, ceiling mounted, horizontal
ELGP-211.01	GPO: double, joinery mounted, horizontal
ELGP-231.01	GPO: double, emergency power, wall mounted, horizontal
ELGP-241.01	GPO: double, emergency power, joinery mounted, horizontal
ELGP-271.01	GPO: double, UPS, joinery mounted, horizontal
ELSW-001	SWITCH: light
ELSW-011	SWITCH PLATE: light, multi-gang
FIBM-019	WHITEBOARD: fixed, magnetic
FIHR-212	BRACKET: computer display screen, single, articulated, wall mounted
FIHR-214	BRACKET: computer display screen, single, articulated, ceiling mounted
FLSK-021	SKIRTING: vinyl, integral with floor vinyl, coved
FLVY-101	FLOOR FINISH: vinyl, seamless, standard slip resistance
FOBS-171	CHAIR: office, ergonomic
FQSM-061	PEDESTAL: mobile, 660H nominal, 2 equal drawers and 1 file drawer
FQWS-053	BIN: general waste, 50L
FQWS-212	BIN: confidential document, secure, 30L
ITBU-470	CLOCK: digital display, electric, synchronised slave, wired internet protocol (IP), wall mounted
ITCL-331	DISPLAY SCREEN: patient flow system
ITIN-016	OUTLET: data, single RJ45, wall mounted
ITIN-021	OUTLET: data, double RJ45, ceiling mounted
ITIN-026	OUTLET: data, double RJ45, wall mounted
ITIN-036	OUTLET: data, triple RJ45, wall mounted
ITNE-071	TELEPHONE: handset, desktop
ITNE-076	TELEPHONE: handset, wall mounted
ITNE-102	COMPUTER: dual display screens, central processing unit (CPU), keyboard and mouse, desktop
ITNE-302	MULTIFUNCTION DEVICE: printer/copier/scanner/fax, floor standing
ITNE-316	PRINTER: labels, small, desk top
ITSE-063	BUTTON: security, duress, fixed, under bench mounted
ITSE-111	DISPLAY SCREEN: security, CCTV monitoring
JOBE-251	CAP: cable access
JORS-021	JOINERY UNIT: staff station
JORS-071	SECURITY GLAZING: to staff station
LIFX-108	LIGHT: task, integral to joinery
MMPM-046	MONITOR: patient, central station
WLFI-002	WALL FINISH: paint, clinical areas
WLPR-006.01	WALL PROTECTION: corner guards, to 900 AFFL




PLAN


NOTE: ONE COMPUTER HAS BEEN NOMINATED AS A DOWNTIME COMPUTER WITH UPS POWER AND THIS REQUIREMENT WILL NEED TO BE CONFIRMED. THE DOWNTIME COMPUTER, IF REQUIRED BY A UNIT, MAY ALTERNATIVELY BE PROVIDED IN A CLINICAL WORKROOM. PROVISION OF A DOWNTIME COMPUTER WILL NEED TO BE RATIONALISED ACROSS THE UNIT.




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4