

## APPENDICES

### AX.01 SCHEDULE OF ACCOMMODATION

The total number and mix of beds and single bedroom sizes will be determined on a jurisdiction by jurisdiction basis, and as agreed in service plans. Approaches to planning rehabilitation services will vary and include options such as a rehabilitation campus with a large number of inpatient units and related services, a unit located in an acute hospital building or a stand-alone unit on an acute hospital site. Solutions for the provision of therapy space may alter to respond to a particular design solution (e.g. a rehabilitation campus may provide centralised therapy spaces that are shared).

In some cases, Room and Spaces are described as 'Optional' or 'o'. Inclusion of this Room/Space will be dependent on a range of factors such as operational policies or clinical services planning.

#### ENTRY, RECEPTION AND WAITING

**Note 1:** This space will only be provided in selected circumstances (e.g. where the unit is provided in a stand-alone location). Where several rehabilitation inpatient units are collocated in a stand-alone location, this space will be shared.

#### INPATIENT AREAS – BED ROOMS

**Note 2:** Requirement for negative pressure isolation bed rooms will be decided on a project-by-project basis.

**Note 3:** Some rehabilitation patients may need to be showered on a shower trolley. It may be possible to arrange the ensuite, or a number of ensuites, so that this activity can be undertaken within the bed room suite rather than a centralised bathroom.

ROOM CODE	ROOM/SPACE	SC/ SC-D	QTY	m2	REMARKS
1BR-ST	1 Bed Room – Inboard Ensuite	Yes		16	Note 2. A size of 16.5m <sup>2</sup> is recommended where an 8.4m grid is used. Outboard ensuite options are also suitable.
1BR-BA	1 Bed Room – Bariatric, 18m <sup>2</sup>	Yes	1	18	
1BR – SP-A	1 Bed Room – Special	Yes		18	This room size is noted in this guideline to cater for selected specialist rehabilitation services (e.g. spinal injuries).
2BR-ST	2 Bed Room – Inboard Ensuite, 27m <sup>2</sup>	Yes		27	A size of 29m <sup>2</sup> is recommended where an 8.4m grid is used.
	Independent Assessment Suite		1	25	Inclusion dependent on service model. Assumes open plan unit with bed room area, small lounge, dining and kitchenette. Ensuite allocation additional.
ENS-ST	Ensuite, Standard, 5m <sup>2</sup>	Yes		5	One ensuite for each 1 and 2 bed room. Refer Note 5.
ENS-BA	Ensuite, Bariatric, 7m <sup>2</sup>	Yes	1	7	Attached to 1 Bed Room – Bariatric.
ENS-SP	Ensuite, Special, 6m <sup>2</sup>	Yes		6	Attached to 1 Bed Room – Special.
BATH	Bathroom	Yes	1	15	Optional.
<b>Discounted Circulation</b>			<b>38%</b>		

## INPATIENT AREAS – SHARED

**Note 4:** for the purpose of this example, a 24 bed inpatient unit has been assumed.

ROOM CODE	ROOM/SPACE	SC/ SC-D	QTY	m2	REMARKS
LNPT-20	Lounge – Patient	Yes	1	24	Allocated at 2m2 per person assuming 50% occupancy.
	Dining/Recreation Room		1	36	18 people at 2m2 assuming approximately 75% occupancy.
WCAC	Toilet – Accessible, 6m2	Yes	1	6	Adjacent to shared areas.
LAUN-PT	Laundry – Patient, 6m2	Yes	1	6	Optional, depending on length of stay and local models.
<b>Discounted Circulation</b>			<b>38%</b>		

## CLINICAL SUPPORT

ROOM CODE	ROOM/SPACE	SC/ SC-D	QTY	m2	REMARKS
BHWS-B	Bay – Handwashing, Type B	Yes		1	Located along corridors to suit layout and access.
SSTN-14	Staff Station, 14m2	Yes	1	14	
OFF-CLN	Office – Clinical Workroom	Yes	1	15	Provided for multidisciplinary team.
STPS-8	Store – Photocopier/ Stationery, 8m2	Yes	1	8	
MEET-L-20	Meeting Room, 20m2	Yes	1	20	Use for staff training, meeting and activities with families or patient education.
MEET-12	Interview Room, 12m2	Yes	1	12	Wheelchair access needed.
CLUR-14	Clean Utility/Medication Room	Yes	1	14	
DTUR-12	Dirty Utility	Yes	1	10	May need more than one depending on bed numbers and travel distances.
DISP-10	Disposal Room, 10m2	Yes		10	Locate on the IPU periphery for easy retrieval of waste. Should be shared with an adjacent unit where possible.
BBEV-OP	Bay – Beverage, Open Plan, 4m2	Yes	1	4	Ideally collocated with dining room.
BMT-4	Bay – Meal Trolley	Yes	1	4	Ideally collocated with dining room.
BLIN	Bay – Linen	Yes	1	2	Minimum 1:15 beds.
BMEQ-4	Bay – Mobile Equipment, 4m2	Yes		4	No. dependent on assessed need and bed configuration. Likely to require a higher provision than an acute inpatient unit.
BRES	Bay – Resuscitation	Yes	1	1.5	
BFLW-OP	Bay - Flowers	Yes	1	2	Optional.
STEQ-20	Store – Equipment, 20m2	Yes	1	36	Assume 1.5m2 per bed.
CLRM-5	Cleaner's Room	Yes	1	5	
<b>Discounted Circulation</b>			<b>38%</b>		

**STAFF AREAS – OFFICE SPACE AND AMENITIES**

**Note 5:** Allocations indicative only and allocations need to be matched to workforce profile and space allocated in line with jurisdictional policies.

ROOM CODE	ROOM/SPACE	SC/ SC-D	QTY	m2	REMARKS
OFF-S9	Office – Single Person, 9m2	Yes	1	9	Unit Manager.
	Workstation, 4.4m2			4.4	e.g. CNC, CNE, allied health.
SRM-15	Staff Room	Yes	1	15	
WCST	Toilet – Staff, 3m2	Yes	2	3	
PROP-2	Property Bay – Staff	Yes	1	2	
SHST	Shower – Staff	Yes	1	3	Unless available from central staff amenities.
<b>Discounted Circulation</b>			<b>25%</b>		

## THERAPY SPACE

**Note 6:** This scenario assumes that therapy space is dedicated to support a 24 bed unit. Where space can be shared, this should be explored. Space allocations reflect an assumption of an active rehabilitation program (e.g. stroke, orthopaedic etc.). No space allocations have been provided for prosthetic or orthotic services as it is assumed they may provide a visiting service only.

**Note 7:** Allocations also assume that loan equipment is not held within the unit and instead stored in a central location.

ROOM CODE	ROOM/SPACE	SC/ SC-D	QTY	m2.	REMARKS
GYAH	Gymnasium	Yes	1	80	Individual treatment.
	Gymnasium		1	35	Group activities. Inclusion dependent on service model. Usually 6-8 patient would participate in these activities.
	Occupational Therapy Room		1	20 (o)	Optional. In many cases, depending on the size and complexity of the service, space can be shared in the main gym area.
	Splinting Room		1	16 (o)	Optional and should only be included if services provided. Space allocated for equipment associated with splinting. May also be used as a closed treatment space.
ADLB	ADL Bathroom	Yes	1	12	
ADLK-OP	ADL Kitchen	Yes	1	12	
CONS	Consult Room	Yes		12	May be used by staff such as speech pathology and medical staff.
INTF	Interview Room	Yes		12	May be used by a range of staff such as social work, psychologists, dietetics etc. Lockable storage required where psychological testing provided.
STEQ-14	Store - Equipment	Yes	1	15	Supporting gyms.
WCPT	Toilet – Patient	Yes	1	4	
<b>Discounted Circulation</b>			<b>30%</b>		